

SY40



SY40

TECHNICAL DATA

SKYLINE

- CAPACITY----- 1,100 FT 3/4" OR 1,500 FT 5/8"
- MAXIMUM LINE PULL----- 33,000 LBS
- MAXIMUM LINE SPEED----- 550 FPM
- MOTOR ----- 110CC FDM

SKIDLINE

- CAPACITY----- 1,500 FT 5/8" OR 1,900 FT 9/16"
- MAXIMUM LINE PULL ----- 24,500 LBS
- MAXIMUM LINE SPEED ----- 1,350 FPM
- MOTOR----- 160CC VDM

HAYWIRE

- CAPACITY----- 4,000 FT 3/8" OR 5,600 FT 5/16"
- AVERAGE LINE PULL----- 14,352 LBS
- AVERAGE LINE SPEED----- 670 FPM
- MOTOR----- SINGLE 110CC FDM

HYDRAULIC SWING YARDER

40 foot mono-boom design maximizes line pull and stability

Designed for maximum control and efficiency in hydraulic grapple yarding up to 800ft.

Fully independent hydraulic winches allow for lines to be moved in any direction, at any speed, at any time.

Front blade, and static attachment point provides options for maintaining stability, with or without guylines.

Built on CAT 568, Link-Belt 40 series, and other base machines.

INFO@SUMMITATTACHMENTS.COM
WWW.SUMMITATTACHMENTS.COM



