

GRAPPLE CARRIAGE



GRAPPLE CARRIAGE

TECHNICAL DATA

ENGINE

- MODEL-----HATZ 2G40
- COOLING-----AIR COOLED
- RATED POWER ----- 20 HP
- BORE / STROKE-----92MM X 75MM
- OIL CAPACITY----- 3 LITERS (INCLUDING SUMP)
- OIL PRESSURE-----1 BAR @ 900 RPM
- WEIGHT----- 106 KG

HYDRAULICS

- PUMP-----28 CC VARIABLE PISTON
- FLOW ----- 13 GPM / 49.2 LPM
- PRESSURE----- 3,900 PSI

GRAPPLE ROTATE

- PRESSURE-----1,500 PSI
- POWER ----- 250 KN
- ROTATE ENVELOPE ----- 360*

DIMENSIONS

- SG80 GRAPPLE OPENING ----- 80"
- SG80 WEIGHT ----- 2,950LBS / 1,338KG
- SG100 GRAPPLE OPENING ----- 100"
- SG100 WEIGHT ----- 3,750LBS / 1,700KG

GRAPPLE CARRIAGE

Innovative swing arm design to isolate loading points.

Best in the industry communication and video systems.

Easy to move without the need for a transport stand.

Day and night visibility to maximize production.

INFO@SUMMITATTACHMENTS.COM
WWW.SUMMITATTACHMENTS.COM



